





AUTOMOTIVE DIVISION



























































Car Manufacturers which use our Clamps





A single supplier with a complete

Pneumatic Components for **Automation**



Clamping for **Autom**




product range for

Technology otive



GR8 Modular Tooling System





Our customers








































































































Online Project Books www.univer-group.com



Clamping Technology






Clamps





Pin Packages



LCX

Pneumatic retractable locating pin unit with two rods and handlever and toggle-joint mechanism



Retractable locating single and double rod

■ LCP

Pneumatic retractable locating pin units with single rod



Pneumatic retractable locating pin units with single rod












pin units







Pneumatic pin clamps



Clamps conforming to the NAAMS/CNOMO standard



Pneumatic power clamps conforming to the N.A.A.M.S. Standard



UNM

Pneumatic power clamps with handlever conforming to the N.A.A.M.S. Standard



DMS

Pneumatic power clamps conforming to the CNOMO Standard



LSP50U

Pneumatic pin clamp- horizontal shape



LTP

Pneumatic pin clamp with vanishing hook



LUP

Pneumatic pin clamp with vanishing hook and pin




LSL

Manual pin clamp



Pivot Units









Electric Units



Electric power pivots





Electric units

Electric power clamps

LAE

LGE

Electric power clamps, fixing conforming to the N.A.A.M.S. Standard

Electric gripper units












■ LCE Electric retractable locating pin unit








Pneumatic Automation for Automotive







Ø $32 \div 125 \text{ mm}$ **Pneumatic Rotary Actuators**

Ø 16 ÷ 50 mm **Rodless Cylinders** Standard version

Slide Units for pneumatic cylinders

Ø 25 ÷ 63 mm 2/3 stage Telescopic Pneumatic Cylinders Locking unit for cylinders and piston rods














ISO 5599/1 Valves size 1-2-3-4

■ BD 18mm

ISO 15407 -1/2 Valves



ISO 15407 -1/2 Valves





AG

G1/8 ÷ G1 1/2







P15





Serial Communication Systems


















Pneumatic Automation for Automotive

Air Treatment







Accessories



GR8

Modular Tooling System



KIT


Considerable reduction



Ø 30 - 45 - 70 mm booms

Maximum stiffness and minimun weight





of mounting elements

High level of positional repeatability; low deflection

MODULAR COMPONENTS

Considerable reduction of mounting components

QUICK INSTALLATION AND SET UP


No welding or doweling required, easily replaceable components

FULLY ADJUSTABLE

Unlimited orientation in space and free configuration


Locking ring

Precise and efficient system to guarantee a high level of positional accuracy



Ball mounting

Unlimited swivel rotation




GR8

End Effectors






Applications and details



Unlimited and complex configurations
Weight-optimized standard components and brackets
Quick installation and adjustment

Complete Solution with UNIVER Components








Pneumatic Automation | Automotive

Dowload our **PRODUCT OVERVIEW**







www.univer-group.com

UNIVER S.p.A.Headquarters

I - 20128 **Milano** Via Eraclito, 31 Tel. +39 02 25298.1 Fax +39 02 2575254 info@univer-group.com www.univer-group.com

UNIVER DO BRASIL S/A

Av. Rui Barbosa, 3005 - Ipê São José dos Pinhais - PR 83055-320, Brasil Tel. +55 41 3155-4200 Fax +55 41 3155-4205 atendimento@univer.com.br www.univer.com.br











